

APPENDIX E

MTCA Cleanup Criteria Calculations

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006
 Site Name: Former Rhone-Poulenc Site Northwest Corner
 Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		Acenaphthylene	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	6.00E-02	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o		kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	4.900E+03	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	6.400E-03	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:			
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)			
	H H_{cc}	0.000E+00	atm.m ³ /mol unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 4.200E+00 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 9.90E+02 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

Θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

Θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: Acenaphthylene

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	2.523E+02	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	2.523E+02	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

Warning: Soil Cleanup Level is higher than Soil Saturation Limit!

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	5.353E+01	mg/kg
Retardation Factor, R :	44.8	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	4.800E+03	N/A	2.100E+05	N/A
	@RISK =1.0E-6 or 1.0E-5	N/A	N/A	N/A	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		9.900E+02			
	Target Soil CUL? mg/kg		2.523E+02			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006
 Site Name: Former Rhone-Poulenc Site Northwest Corner
 Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General Information			
Name of Chemical:		Anthracene	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	3.00E-01	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o		kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	2.300E+04	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	2.700E-03	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n unitless

Volumetric Water Content (default = "0.30"):

Θ_w unitless

Volumetric Air Content (default = "0.13"):

Θ_a unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: Anthracene

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	4.726E+04	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	4.726E+04	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

Warning: Soil Cleanup Level is higher than Soil Saturation Limit!

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	2.540E+00	mg/kg
Retardation Factor, R :	206.4	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	2.400E+04	N/A	1.050E+06	N/A
		@RISK =1.0E-6 or 1.0E-5	N/A	N/A	N/A	N/A
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		4.000E+04			
	Target Soil CUL? mg/kg		4.726E+04			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006
Site Name: Former Rhone-Poulenc Site Northwest Corner
Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		Benzo(a)anthracene	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o		mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o	7.30E+00	kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	3.600E+05	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	1.400E-04	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 9.400E-03 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 1.80E-02 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

Θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

Θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: Benzo(a)anthracene

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	3.318E-01	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	3.318E-01	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	8.665E+00	mg/kg
Retardation Factor, R :	3,215.9	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0 @RISK =1.0E-6 or 1.0E-5	N/A 1.370E-01	N/A N/A	N/A 1.798E+01	N/A N/A
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		1.800E-02			
	Target Soil CUL? mg/kg		3.318E-01			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0 @ RISK=1.0E-6 or 1.0E-5	N/A N/A		N/A N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006

Site Name: Former Rhone-Poulenc Site Northwest Corner

Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		Benzo(b)fluoranthene	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o		mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o	7.30E+00	kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	$AB1$	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	1.200E+06	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	4.600E-03	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 1.500E-03 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 1.80E-02 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: Benzo(b)fluoranthene

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	1.106E+00	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	1.106E+00	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	4.608E+00	mg/kg
Retardation Factor, R :	10,717.3	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	N/A	N/A	N/A	N/A
	@RISK =1.0E-6 or 1.0E-5	1.370E-01	N/A	1.798E+01	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		1.800E-02			
Target Soil CUL? mg/kg		1.106E+00				
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
@ RISK=1.0E-6 or 1.0E-5		N/A		N/A		

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006

Site Name: Former Rhone-Poulenc Site Northwest Corner

Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		Benzo(k)fluoranthene	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o		mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o	7.30E+00	kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	1.200E+06	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	3.400E-05	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13° C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 8.000E-04 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 1.80E-02 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: Benzo(k)fluoranthene

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	1.106E+00	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	1.106E+00	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	2.458E+00	mg/kg
Retardation Factor, R :	10,717.3	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0 @RISK =1.0E-6 or 1.0E-5	N/A 1.370E-01	N/A	N/A 1.798E+01	N/A
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		1.800E-02			
	Target Soil CUL? mg/kg		1.106E+00			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0 @ RISK=1.0E-6 or 1.0E-5	N/A N/A		N/A N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006

Site Name: Former Rhone-Poulenc Site Northwest Corner

Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		Bis(2-ethylhexyl)phthalate	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	2.00E-02	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o	1.40E-02	kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	1.100E+05	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	4.200E-06	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 3.400E-01 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 2.20E+00 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: Bis(2-ethylhexyl)phthalate

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	1.240E+01	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	1.240E+01	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	9.581E+01	mg/kg
Retardation Factor, R :	983.3	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	1.600E+03	N/A	7.000E+04	N/A
	@RISK =1.0E-6 or 1.0E-5	7.143E+01	N/A	9.375E+03	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		2.200E+00			
	Target Soil CUL? mg/kg		1.240E+01			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006

Site Name: Former Rhone-Poulenc Site Northwest Corner

Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		Butyl benzyl phthalate	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	2.00E-01	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o		kg-day/mg
Inhalation Reference Dose:	RfD_i	2.00E-01	mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	1.400E+04	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	5.200E-05	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_{gw} ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n unitless

Volumetric Water Content (default = "0.30"):

θ_w unitless

Volumetric Air Content (default = "0.13"):

θ_a unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: Butyl benzyl phthalate

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	1.370E+03	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	1.370E+03	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

Warning: Soil Cleanup Level is higher than Soil Saturation Limit!

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	9.731E+01	mg/kg
Retardation Factor, R :	126.0	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	1.600E+04	N/A	7.000E+05	N/A
	@RISK =1.0E-6 or 1.0E-5	N/A	N/A	N/A	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		1.900E+03			
	Target Soil CUL? mg/kg		1.370E+03			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	3.200E+02		7.000E+02	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	0.000E+00		0.000E+00	
@ RISK=1.0E-6 or 1.0E-5		N/A		N/A		

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006
 Site Name: Former Rhone-Poulenc Site Northwest Corner
 Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		Chrysene	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o		mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o	7.30E+00	kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	4.000E+05	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	3.900E-03	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 1.600E-03 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 1.80E-02 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

Θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

Θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern:

Chrysene

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	3.687E-01	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	3.687E-01	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	1.639E+00	mg/kg
Retardation Factor, R :	3,573.1	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	N/A	N/A	N/A	N/A
	@RISK =1.0E-6 or 1.0E-5	1.370E-01	N/A	1.798E+01	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		1.800E-02			
	Target Soil CUL? mg/kg		3.687E-01			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006
 Site Name: Former Rhone-Poulenc Site Northwest Corner
 Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		Dibenzo(a,h)anthracene	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o		mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o	7.30E+00	kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	1.800E+06	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	6.000E-07	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 2.500E-03 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_{gw} 1.80E-02 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: Dibenzo(a,h)anthracene

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	1.659E+00	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	1.659E+00	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	1.152E+01	mg/kg
Retardation Factor, R :	16,075.4	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	N/A	N/A	N/A	N/A
	@RISK =1.0E-6 or 1.0E-5	1.370E-01	N/A	1.798E+01	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		1.800E-02			
	Target Soil CUL? mg/kg		1.659E+00			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006
 Site Name: Former Rhone-Poulenc Site Northwest Corner
 Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		di-butylphthalate	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	1.00E-01	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o		kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	$AB1$	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	1.600E+03	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	3.900E-08	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13° C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 1.100E+01 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 4.50E+03 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: di-butylphthalate

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	3.866E+02	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	3.866E+02	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

Warning: Soil Cleanup Level is higher than Soil Saturation Limit!

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	4.726E+01	mg/kg
Retardation Factor, R :	15.3	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	8.000E+03	N/A	3.500E+05	N/A
	@RISK=1.0E-6 or 1.0E-5	N/A	N/A	N/A	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		4.500E+03			
	Target Soil CUL? mg/kg		3.866E+02			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006

Site Name: Former Rhone-Poulenc Site Northwest Corner

Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		fluoranthene	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	4.00E-02	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o		kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	4.900E+04	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	6.600E-04	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 2.100E-01 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 1.40E+02 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: fluoranthene

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	3.518E+02	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	3.518E+02	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

Warning: Soil Cleanup Level is higher than Soil Saturation Limit!

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	2.638E+01	mg/kg
Retardation Factor, R :	438.6	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	3.200E+03	N/A	1.400E+05	N/A
	@RISK =1.0E-6 or 1.0E-5	N/A	N/A	N/A	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		1.400E+02			
	Target Soil CUL? mg/kg		3.518E+02			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006
 Site Name: Former Rhone-Poulenc Site Northwest Corner
 Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		indeno(1,2,3-cd)pyrene	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o		mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o	7.30E+00	kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	3.500E+06	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	6.600E-05	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13° C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n unitless

Volumetric Water Content (default = "0.30"):

Θ_w unitless

Volumetric Air Content (default = "0.13"):

Θ_a unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: **indeno(1,2,3-cd)pyrene**

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	3.226E+00	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	3.226E+00	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

Warning: Soil Cleanup Level is higher than Soil Saturation Limit!

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	1.971E-01	mg/kg
Retardation Factor, R :	31,256.8	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	N/A	N/A	N/A	N/A
	@RISK =1.0E-6 or 1.0E-5	1.370E-01	N/A	1.798E+01	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		1.800E-02			
	Target Soil CUL? mg/kg		3.226E+00			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006

Site Name: Former Rhone-Poulenc Site Northwest Corner

Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		pentachlorophenol	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	3.00E-02	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o	1.20E-01	kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	$AB1$	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	5.900E+02	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	1.000E-06	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 2.000E+03 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 7.90E+00 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

Θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

Θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: pentachlorophenol

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	2.702E-01	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	2.702E-01	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	3.421E+03	mg/kg
Retardation Factor, R :	6.3	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	2.400E+03	N/A	1.050E+05	N/A
	@RISK =1.0E-6 or 1.0E-5	8.333E+00	N/A	1.094E+03	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		7.900E+00			
	Target Soil CUL? mg/kg		2.702E-01			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation. Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006
 Site Name: Former Rhone-Poulenc Site Northwest Corner
 Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		phenol	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	6.00E-01	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o		kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	2.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	$AB1$	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	2.900E+01	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	1.600E-05	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 8.300E+04 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 1.70E+06 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

Θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

Θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: **phenol**

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	9.324E+03	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	9.324E+03	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	2.276E+04	mg/kg
Retardation Factor, R :	1.3	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	4.800E+04	N/A	2.100E+06	N/A
	@RISK =1.0E-6 or 1.0E-5	N/A	N/A	N/A	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		1.700E+06			
	Target Soil CUL? mg/kg		9.324E+03			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
@ RISK=1.0E-6 or 1.0E-5		N/A		N/A		

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006
Site Name: Former Rhone-Poulenc Site Northwest Corner
Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		pyrene	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	3.00E-02	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o		kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	$AB1$	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	6.800E+04	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	4.500E-04	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:			
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)			
	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 1.400E-01 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 4.00E+03 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

Θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

Θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: pyrene

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	1.394E+04	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	1.394E+04	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

Warning: Soil Cleanup Level is higher than Soil Saturation Limit!

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	2.440E+01	mg/kg
Retardation Factor, R :	608.3	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	2.400E+03	N/A	1.050E+05	N/A
		@RISK =1.0E-6 or 1.0E-5	N/A	N/A	N/A	N/A
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		4.000E+03			
	Target Soil CUL? mg/kg		1.394E+04			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006

Site Name: Former Rhone-Poulenc Site Northwest Corner

Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		selenium	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	5.00E-03	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o		kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	5.000E+00	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	0.000E+00	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n unitless

Volumetric Water Content (default = "0.30"):

θ_w unitless

Volumetric Air Content (default = "0.13"):

θ_a unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: **selenium**

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	7.384E+00	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	7.384E+00	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

Warning: Soil Cleanup Level is higher than Soil Saturation Limit!

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	0.000E+00	mg/kg
Retardation Factor, R :	18.4	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	4.000E+02	N/A	1.750E+04	N/A
		@RISK =1.0E-6 or 1.0E-5	N/A	N/A	N/A	N/A
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		7.100E+01			
	Target Soil CUL? mg/kg		7.384E+00			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006
Site Name: Former Rhone-Poulenc Site Northwest Corner
Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		silver	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI : <input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	5.00E-03	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o		kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	1.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	$AB1$	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	8.300E+00	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	0.000E+00	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13°C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n unitless

Volumetric Water Content (default = "0.30"):

Θ_w unitless

Volumetric Air Content (default = "0.13"):

Θ_a unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: **silver**

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	3.230E-01	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	3.230E-01	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

Warning: Soil Cleanup Level is higher than Soil Saturation Limit!

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	0.000E+00	mg/kg
Retardation Factor, R :	30.0	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	4.000E+02	N/A	1.750E+04	N/A
	@RISK =1.0E-6 or 1.0E-5	N/A	N/A	N/A	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		1.900E+00			
Target Soil CUL? mg/kg		3.230E-01				
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
@ RISK=1.0E-6 or 1.0E-5		N/A		N/A		

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).

Worksheet for Calculating Soil Cleanup Levels for Unrestricted & Industrial Land Use

Date: 12/7/2006

Site Name: Former Rhone-Poulenc Site Northwest Corner

Evaluator: Z. Satterwhite

Refer to WAC 173-340-720, 740, 745, 747 and 750 for details.

A. INPUT PARAMETERS FOR SOIL CLEANUP LEVEL CALCULATIONS

Note: If no data is available for any of the following inputs, then leave the input box blank

Item	Symbol	Value	Units
1. General information			
Name of Chemical:		2,4,5-trichlorophenol	
Measured Soil Concentration, if any:	C_s		mg/kg
Natural Background Concentration for Soil:	NB_s		mg/kg
Practical Quantitation Limit for Soil:	PQL_s		mg/kg
To evaluate the ingestion and dermal pathways concurrently, check here and input values for AF , ABS_d , GI :			
<input checked="" type="checkbox"/>			
2. Toxicological Properties of the Chemical: Chemical-Specific			
Oral Reference Dose:	RfD_o	1.00E-01	mg/kg-day
Oral Carcinogenic Potency Factor:	CPF_o		kg-day/mg
Inhalation Reference Dose:	RfD_i		mg/kg-day
Inhalation Carcinogenic Potency Factor:	CPF_i		kg-day/mg
3. Exposure Parameters			
Inhalation Correction Factor (default = "2" for volatiles; "1" for all others): for target ground water cleanup level	INH	2.00E+00	unitless
Inhalation Absorption Fraction (default = "1"): for target air cleanup level	ABS_i	1	unitless
Gastrointestinal Absorption Fraction (default = "1"): for ingestion & dermal exposure pathways	ABI	1	unitless
Adherence Factor (default = "0.2"): for dermal exposure pathway	AF	0.2	mg/cm ² -day
Dermal Absorption Fraction (chemical-specific or defaults): for dermal exposure pathway	ABS_d		unitless
Gastrointestinal Absorption Conversion Factor (chemical-specific or defaults): for dermal exposure pathway	GI		unitless
4. Physical and Chemical Properties of the Chemical: Chemical-Specific			
Soil Organic Carbon-Water Partitioning Coefficient: for metals, enter K_d value here and enter "1" for f_{oc} value	K_{oc}	1.600E+03	l/kg
Henry's Law Constant: for the evaluation of ground water and vapor exposure pathway	H_{cc}	1.800E-04	unitless
*If the value for Henry's Law Constant is given in the unit of "atm.m ³ /mol", enter value here:	H		atm.m ³ /mol
*Converted unitless form of H_{cc} @13° C: (Enter this converted value into " H_{cc} input Box" above for a calculation)	H_{cc}	0.000E+00	unitless

Solubility of the Chemical in Water: for the calculation of soil saturation limit

S 1.200E+03 mg/l

5. Target Ground Water Cleanup Level

Target Ground Water Cleanup Level applicable for a soil cleanup level calculation:

**Results from the Ground Water Cleanup Level Worksheet are not automatically transferred into this worksheet.*

C_w 3.60E+03 ug/l

6. Site-Specific Hydrogeological Characteristics

Total Soil Porosity (default = "0.43"):

n 0.43 unitless

Volumetric Water Content (default = "0.30"):

Θ_w 0.3 unitless

Volumetric Air Content (default = "0.13"):

Θ_a 0.13 unitless

Dry Soil Bulk Density (default = "1.50"):

ρ_b 1.5 kg/l

Fraction Soil Organic Carbon (default = "0.001"): for metals, enter "1" for f_{oc} value here

f_{oc} 0.00256 unitless

Dilution Factor (default = "20" for unsaturated zone soil; "1" for saturated zone soil; or site-specific)

DF 20 unitless

7. Vapor Attenuation Factor due to Advection (building structure) & Diffusion (soil layer) Mechanisms

** Vapor Attenuation Factor is the ratio of vapor-phase contaminant concentration within the soil at the source to the air concentration at the exposure point (e.g., within the building)*

Enter Vapor Attenuation Factor: for the evaluation of vapor exposure pathway

VAF unitless

B. SUMMARY OF SOIL CLEANUP LEVEL CALCULATIONS

Chemical of Concern: 2,4,5-trichlorophenol

1. Summary of Results

To calculate a soil cleanup level based on Industrial Land Use (Method C) for Direct Soil Contact, check here: ☒

To calculate a soil concentration based on Method C vapor pathway, check here: ☒

Basis for Soil Concentration	Conc	Units
Most stringent soil concentration based on Soil Direct Contact & Ground Water Protection:	3.093E+02	mg/kg
Natural Background concentration for Soil:	N/A	mg/kg
Practical Quantitation Limit for Soil:	N/A	mg/kg
Soil Cleanup Level (not considering vapor pathway):	3.093E+02	mg/kg
Warning! Soil Cleanup Level above may not be protective of vapor exposure pathway - evaluate vapor pathway further.		
Soil concentration based on Vapor Pathway (informational purposes only):	0.000E+00	mg/kg

C_{sat} corresponds to the total soil chemical concentration saturated in soil.

R is the ratio of the ground water flow velocity to the

Soil Saturation Limit, C_{sat} :	5.155E+03	mg/kg
Retardation Factor, R :	15.3	unitless

R is the ratio of the ground water flow velocity to the contaminant migration velocity in saturated zone.

2. Summary of Calculation for each Exposure Pathway

Summary by Exposure Pathway						
Soil Direct Contact			<u>Method B</u> Unrestricted Land Use @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> Industrial Land Use @ HQ=1.0; RISK =1.0E-5	
			Ingestion only	Ingestion & Dermal	Ingestion only	Ingestion & Dermal
	Under the Current Condition	HQ? @ Exposure Point	N/A	N/A	N/A	N/A
		RISK? @ Exposure Point	N/A	N/A	N/A	N/A
	Target Soil CUL? mg/kg	@HQ=1.0	8.000E+03	N/A	3.500E+05	N/A
	@RISK =1.0E-6 or 1.0E-5	N/A	N/A	N/A	N/A	
Protection of Potable Ground Water			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Ground Water Conc? ug/l	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Ground Water CUL? ug/l		3.600E+03			
	Target Soil CUL? mg/kg		3.093E+02			
Protection of Air Quality (for informational purpose only)			<u>Method B</u> @ HQ=1.0; RISK =1.0E-6		<u>Method C</u> @ HQ=1.0; RISK =1.0E-5	
	Under the Current Condition	Predicted Air Conc? ug/m ³ @Exposure Point	N/A			
		HQ? @ Exposure Point	N/A		N/A	
		RISK? @ Exposure Point	N/A		N/A	
	Target Air CUL? ug/m ³	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	
	Target Soil CUL? mg/kg	@ HQ=1.0	N/A		N/A	
		@ RISK=1.0E-6 or 1.0E-5	N/A		N/A	

NOTES: "CUL" = Cleanup Level; "Conc" = concentration; "HQ" = hazard quotient; "RISK" = carcinogenic risk.

CAUTION: The requirements and procedures for establishing soil cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-740, 173-340-745, 173-340-747 and 173-340-7490 through 173-340-7494). The use of this Workbook is not sufficient to establish soil cleanup levels under the regulation.

Specifically, the soil cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-740(3)(b)(i) and 173-340-745(5)(b)(i));
- Soil residual saturation (see WAC 173-340-747(10));
- Ecological impacts (see WAC 173-340-7490 through 7494); and
- Total site risk (see WAC 173-340-740(5)(a) and 173-340-745(6)(a)).

Other exposure pathways may also need to be evaluated on a site-specific basis to establish soil cleanup levels.

CAUTION: The requirements and procedures for establishing air cleanup levels that are protective of human health and the environment are specified in the MTCA Cleanup Regulation (see WAC 173-340-750). The use of this Workbook may not be sufficient to establish air cleanup levels under the regulation. Specifically, the air cleanup levels derived using this Workbook do not account for the following:

- Concentrations based on applicable state and federal laws (see WAC 173-340-750(3)(b)(i) and (4)(b)(i));
- Concentrations based on natural background and the practical quantitation limit (see WAC 173-340-750(5)(c));
- Total site risk (see WAC 173-340-750(5)(a)).